



made in Italy



01

The Product Line

CONFIGURATIONS

Grinder Configurations




VERSION

ELECTRONIC	E	on demand grinding	grind fresh
MANUAL	M	The on-off switch is used to grind or stop the appliance	doser
AUTOMATIC	Au	the appliance starts automatically every 12 doses (6 doses in the MINI/LUX models). It switches off automatically when the doser is full	doser
TIMER	T	to switch the appliance on, turn the timer knob clockwise. The appliance switches off automatically when time is over	doser
GROCERY	G	The on-off switch is used to grind or stop the appliance	shop

on demand

flat burrs



low volume

medium volume


high volume >>

conical burrs



doser

flat burrs



low volume

medium volume


high volume >>

conical burrs



multi-purpose

flat burrs




espresso + filter


on demand + grocery

grocery

flat burrs



low-volume



medium-volume



MAZZER

Mini



flat burrs

COMMERCIAL GRINDER | COMPACT SIZE

configurations: MINI A: E | MINI B: E | MINI doser: M - T | MINI FILTER: E

Mazzer MINI is the gold-standard compact sized commercial coffee grinder. Small dimensions, heavy duty die-cast aluminum body, stepless control and ease of use make it an ideal choice suited for small cafes, low-volume shops and restaurants who want a professional edge.



mini a



mini b
electronic



mini filter



mini
doser

FEATURES



Stepless micrometrical grind adjustment

electronic versions

Grinds on demand, every dose of coffee is fresh

Electronic control panel

Single and double dose with independent adjustment

Manual grinding

Portafilter holder

MINI A and MINI Filter: Grind coffee using control panel

MINI B: Grind by inserting the portafilter

OPTION

320 g hopper,

1 kg hopper,

tamping support base,

600 g hopper (Mini Filter)

COLORS



pure white matte black matte gray silver polished alu. bright red sunny yellow
(not for doser)

Mini



COMMERCIAL GRINDER | COMPACT SIZE


configurations: MINI A: E | MINI B: E | MINI doser: M - T | MINI FILTER: E

CERTIFICATIONS

Mini A, Mini Filter, Mini Doser:




Mini B:




Mini A - B

	mm	inches
A	168	6 3/4
B	200	7 3/4
C	340	13 1/2
H	470	18 1/2
Ø	160	6 1/4



Mini Doser

	mm	inches
A	168	6 3/4
B	200	7 3/4
C	340	13 1/2
H	470	18 1/2
Ø	160	6 1/4



Mini Filter

	mm	inches
A	168	6 3/4
B	200	7 3/4
C	340	13 1/2
H	430	17
Ø	160	6 1/4

	MINI A	MINI B	MINI FILTER	MINI DOSER
Power	250 watt	250 watt	250 watt	250 watt
Grinding Burrs	ref. 189D 64mm (2 1/2 inches)	ref. 189D 64mm (2 1/2 inches)	ref. 189D 64mm (2 1/2 inches)	ref. 182D 58mm (2 1/4 inches)
Grinding burrs speed	1400 rpm @50Hz 1600 rpm @60Hz			
Hopper capacity	0.6 kg (1.3 lbs)	0.6 kg (1.3 lbs)	0.32 kg (0.7 lbs)	0.6 kg (1.3 lbs)
Net weight	10.2 kg (22.5 lbs)			

Lux

COMMERCIAL GRINDER | FLAT BURRS

configurations: M - T - Au

Mazzer LUX is sized between the Mazzer Mini and the Mazzer Super Jolly. It's available with programming to allow for a manual switch, a time switch, and an automatic start that kicks in every six doses.



flat burrs

FEATURES



Stepless micrometric grind adjustment

OPTION

Oversized dose (8-10.5 g – 0.28-0.36 oz)

Spring tamper with extended portafilter support

COLORS



pure white matte black matte gray silver polished alu. bright red dark red

Lux




COMMERCIAL GRINDER | FLAT BURRS

configurations: M - T - Au

CERTIFICATIONS



	LUX
Power	250 watt
Grinding Burrs	ref. 195D 61 mm (2 3/8 inches)
Grinding burrs speed	1400 rpm @50Hz 1600 rpm @60Hz
Hopper capacity	1.2 kg (2.7 lbs)
Net weight	11 kg (24.5 lbs)



	mm	inches
A	180	7
B	250	10
C	380	15
H	580	23
Ø	212	8 ¼

Super Jolly



A LIFETIME OF GREAT ESPRESSO

configurations: E - M - T - Au - G

The Mazzer Super Jolly is one of the most well-known Mazzer grinders. Its grind quality, ease of use, and durability make it the premier choice for many small to mid-sized cafes.



super jolly electronic



super jolly doser



super jolly grocery

FEATURES



electronic version

Grinds on demand, every dose of coffee is fresh
Electronic dosing controlled by three dosing buttons on the control panel.
Single shot dosing and double shot dosing with independent adjusting
Manual grinding with on demand dosing.
Double and single shot buttons can be programmed by time via the electronic control panel

OPTION

Doser configuration: Oversized dose (8-10.5 g – 0.28-0.36 oz)
Spring tamper with extended portafilter support
Easy tamper for doser
Grocery configuration: Grocery container
Hoppers: 320 g, 600 g


COLORS



Super Jolly

A LIFETIME OF GREAT ESPRESSO

configurations: E - M - T - Au - G




CERTIFICATIONS




Super Jolly E

	mm	inches
A	195	7 ¾
B	263	10 ½
C	240	9 ½
D	420	16 ½
H	610	24
Ø	212	8 ¼



Super Jolly A-M-T

	mm	inches
A	195	7 ¾
B	263	10 ½
C	240	9 ½
D	420	16 ½
H	610	24
Ø	212	8 ¼




Super Jolly G

	mm	inches
A	195	7 ¾
B	263	10 ½
C	240	9 ½
D	420	16 ½
H	610	24
Ø	212	8 ¼

	Super Jolly E	Super Jolly A - M - T	Super Jolly G
Power	350 watt	350 watt	350 watt
Grinding Burrs	ref. 33M 64 mm (2 1/2 inches) 1400 rpm @50Hz 1600 rpm @60Hz	single ph.33M - three ph.33T 64mm (2 1/2 inches)	single ph. 33M - three ph. 33T 64 mm (2 1/2 inches)
Grinding Burrs Speed		1400 rpm @50Hz 1600 rpm @60Hz	1400 rpm @50Hz 1600 rpm @60Hz
Hopper capacity	1.2 kg (2.7 lbs)	1.2 kg (2.7 lbs)	1.2 kg (2.7 lbs)
Net weight	14 kg (31 lbs)	14 kg (31 lbs)	13 kg (29 lbs)

Super Jolly / V^{Up}



RELIABLE AND ESSENTIAL

configurations: E – M – T – Au


Super Jolly V Up our newest offering from the Mazzer V line is reliable, easy to use, and has everything you need to make excellent coffee in a small to medium-sized coffee shop. The grinder is the only one in the Mazzer range to feature a straightforward touch display.



Super Jolly V Up electronic



Super Jolly V Up doser

FEATURES



electronic version


Functional touch display that is durable, straightforward, and colorful. Programmable single and double dose buttons.. Manual grinding mode configurable as third dose. Manual grinding pause function.




doser version

Standard fitted conveyor.

OPTION



COLORS





Super Jolly V Up electronic – touch screen

Super Jolly / V^{Up}

RELIABLE AND ESSENTIAL

configurations: E – M - T - Au

CERTIFICATIONS



Super Jolly V Up E

	mm	in
A	207	8 1/4
B	240	9 1/2
C	255	10
D	404	16
H	601	23 1/2
E	209	8 1/4

Super Jolly V Up M-T-A

	mm	in
A	207	8 1/4
B	240	9 1/2
C	255	10
D	404	16
H	601	23 1/2
E	209	8 1/4

	Super Jolly V Up E	Super Jolly V Up M – T - A
Power	350 watt	350 watt
Grinding Burrs	ref. 233M 64 mm flat (2 1/2 inches)	single ph.233M - three ph.33T flat 64mm (2 1/2 inches)
Grinding Burrs Speed	1400 rpm @50Hz 1600 rpm @60Hz	1400 rpm @50Hz 1600 rpm @60Hz
Hopper capacity	1.1 kg (2.4 lbs)	1.1 kg (2.4 lbs)
Net weight	14 kg (31 lbs)	14 kg (31 lbs)

Super Jolly / V Pro



YOUR COFFEE WINGMAN

configurations: E - T - Au

Iconic design, cutting-edge-technology and top reliability, the Super Jolly V Pro is a premium grinder for demanding small to medium sized cafés looking for quality, ease of use and consistent results. The evolution of its design, updated with new, sleek lines, makes the Super Jolly V Pro a contemporary classic, a modern grinder which pays tribute to the 1971 Jolly model.



Super Jolly V Pro electronic



Super Jolly V Pro doser



FEATURES



Easy to clean grinding chamber with no loss of grind settings



Tag holder to place the name of the coffee on the hopper



Memory Track System to index grind settings on the collar



Stepless micrometric grinding adjustment

electronic version

19-language electronic control panel. Programmable single, double and third dose buttons. Manual grinding. Steps of a hundredth of a second. Manual grinding mode. Daily grinding statistics. Pause function in between grinding. Alerts on service needs.



Keep grounds from getting on the counter (ELECTROSTATIC CHARGE REDUCTION) while getting UNIFORM COFFEE GROUNDS in your portafilter with the Grind Flow Control (GFC) System. GFC consists of a removable aluminum outlet insert equipped with a through-flow wire damper.



On-Demand grinding can be activated with the portafilter



Adjustable portafilter holder



Double fan cooling system

OPTION



E: Wi-Fi connectivity module for IoT Internet of Things features. Titanium coated burrs.
A - M: Doser configuration: Oversized dose (8-10.5 g – 0.28-0.36 oz)
Spring tamper with extended portafilter support. Easy tamper for doser

COLORS






Super Jolly V Pro - GFC

Super Jolly / V Pro

YOUR COFFEE WINGMAN

configurations: E - T - Au

CERTIFICATIONS



Super Jolly E

	mm	in
A	207	8 1/4
B	240	9 1/2
C	255	10
D	404	16
H	601	23 1/2
E	209	8 1/4

Super Jolly Au-T

	mm	in
A	207	8 1/4
B	240	9 1/2
C	255	10
D	404	16
H	601	23 1/2
E	209	8 1/4

	Super Jolly E	Super Jolly A - T
Power	350 watt	350 watt
Grinding Burrs	ref. 233M 64 mm flat (2 1/2 inches)	single ph.233M - three ph.33T flat 64mm (2 1/2 inches)
Grinding Burrs Speed	1400 rpm @50Hz 1600 rpm @60Hz	1400 rpm @50Hz 1600 rpm @60Hz
Hopper capacity	1.1 kg (2.4 lbs)	1.1 kg (2.4 lbs)
Net weight	15 kg (33 lbs)	15 kg (33 lbs)



Super Jolly V Pro - GFC

Major | V

HIGH SPEED WITH FLAT BURRS

configurations: E - Au - M

The Mazzer Major V boasts low retention, flexibility to adapt to all situations, and performs well at any time of the day—from the morning rush to regular service. It's the grinder to have when a coffee shop wants to make the leap to the next level. Major V helps baristas complete their daily work with a user-friendly interface, new electronic features, and IoT optional technology.



major V electronic



major V automatic



flat burrs

FEATURES



Easy to clean grinding chamber with no loss of grind settings

NO WASTE

Low retention geometries



Memory Track System to index grind settings on the collar



Stepless micrometric grinding adjustment

electronic version

19-language electronic control panel. Programmable single, double and third dose buttons. Manual grinding. Steps of a hundredth of a second. Manual grinding mode. Daily grinding statistics. Pause function in between grinding. Alerts on service needs.



Keep grounds from getting on the counter (ELECTROSTATIC CHARGE REDUCTION) while getting UNIFORM COFFEE GROUNDS in your portafilter with the Grind Flow Control (GFC) System. GFC consists of a removable aluminum outlet insert equipped with a through-flow wire damper.



On-Demand grinding can be activated with the portafilter



Adjustable portafilter holder



Double fan cooling system

OPTION



E: Wi-Fi connectivity module for IoT Internet of Things features. T151A burrs
A - M: Doser configuration: Oversized dose (8-10.5 g – 0.28-0.36 oz)
Spring tamper with extended portafilter support. Easy tamper for doser

COLORS



pure white matte black matte gray silver polished alu. bright red



Major V - sliding panel




Major V - GFC

Major /V


HIGH SPEED WITH FLAT BURRS

configurations: E - Au - M



Major V E

	mm	inches
A	212	8 1/2
B	252	10
C	292	11 1/2
D	475	18 3/4
H	681	26 3/4
E	240	9 1/2



Major V A-M

	mm	inches
A	234	9 1/4
B	252	10
C	287	11 1/2
D	464	18 1/4
H	720	28 1/2
E	240	9 1/2

CERTIFICATIONS



	Major V electronic	Major V automatic / manual
Power	650 watt	650 watt
Grinding Burrs	ref. 151A 83 mm (3 1/4 inches)	single ph. 151A - three ph. 151B 83 mm (3 1/4 inches)
Grinding Burrs Speed	1400 rpm @50Hz 1600 rpm @60Hz	1400 rpm @50Hz 1600 rpm @60Hz
Hopper capacity	1.6 kg (3.5 lbs)	1.6 kg (3.5 lbs)
Net weight	20.5 kg (45.2 lbs)	20.5 kg (45.2 lbs)

Major

GROCERY

configurations: G

The Mazzer Major is a coffee grinder with 83mm (3 ¼ inches) flat burrs suitable for shops with medium consumption.



major grocery



flat burrs

FEATURES



Stepless micrometrical grind adjustment

With small bag holder

Grinding capacity with medium/fine fineness
(single phase – three phase) 400 ÷ 750 g/min (0.9 ÷ 1.65 lbs/min)

OPTION

Grocery container

COLORS

silver

Major

GROCERY

configurations: G



flat burrs



Major G

	mm	inches
A	212	8 ¼
B	292	11 ½
C	240	9 ½
D	455	18
H	635	25
Ø	212	8 ¼

CERTIFICATIONS



	Major
Power	650 watt
Grinding Burrs	single ph. 151B - three ph. 151C 83 mm (3 ¼ inches)
Grinding Burrs Speed	1400 rpm @50Hz 1600 rpm @60Hz
Hopper capacity	1.8 kg (4 lbs)
Net weight	18 kg (40 lbs)

Major/VP

FAST BUT GENTLE ON THE COFFEE BEANS

configurations: E

The Mazzer Major VP is the fastest grinder of the V line. Its innovative technologies allow for higher grinding speeds with lower RPM (revolutions per minute - 900 rpm @50Hz). Thanks to the high torque asynchronous motor the Major VP is designed to grind high volumes of coffee without overheating. The lower-revolution motor results in less noise and a longer lifespan for the grinder and its components. Major VP is the best choice for high volume coffee shops looking for a flat burr grinder fast while still gentle with the coffee beans to get full bodied extractions rich in flavor and taste.



Major VP electronic



FEATURES



Easy to clean grinding chamber with no loss of grind settings



Lower RPM (900rpm @50Hz - 1080rpm @60Hz)



Memory Track System to index grind settings on the collar



Stepless micrometric grinding adjustment

electronic version

19-language electronic control panel. Programmable single, double and third dose buttons. Manual grinding. Steps of a hundredth of a second. Manual grinding mode. Daily grinding statistics. Pause function in between grinding. Alerts on service needs.



Keep grounds from getting on the counter (ELECTROSTATIC CHARGE REDUCTION) while getting UNIFORM COFFEE GROUNDS in your portafilter with the Grind Flow Control (GFC) System. GFC consists of a removable aluminum outlet insert equipped with interchangeable through-flow wire dampers.



On-Demand grinding can be activated with the portafilter



Adjustable portafilter holder



Double fan cooling system



Wi-Fi connectivity module for IoT Internet of Things features.

The Major VP features red details to underline the sporty character of the grinder.

COLORS



pure white matte black matte gray silver polished alu.



Major VP



Major VP


Major/VP

FAST BUT GENTLE ON THE COFFEE BEANS

configurations: E



CERTIFICATIONS



Major VP

	mm	inches
A	212	8 1/2
B	252	10
C	292	11 1/2
D	475	18 3/4
H	681	26 3/4
E	240	9 1/2

	Major V electronic
Power	650 watt
Grinding Burrs	ref. 151H 83 mm (3 1/4 inches)
Grinding Burrs Speed	900 rpm @50Hz 1080 rpm @60Hz
Hopper capacity	1.6 kg (3.5 lbs)
Net weight	20.5 kg (45.2 lbs)

Kony /s



conical burrs

THE SMALLEST MAZZER GRINDER WITH CONICAL BURRS

configurations: E - Au

The Kony S is designed to enhance the aroma of your coffee. The distinctive Mazzer design spotlights precision machined components and high-tech electronics. It's equipped with 63mm conical burrs and works at a low speed of 420 rpm @50Hz and 500 rpm @60Hz. Kony S features excellent dose consistency, IoT connectivity, and a mind to barista ergonomics. This is the ideal choice for medium-high volume cafes.



Kony S electronic

Kony S doser

FEATURES



Easy to clean grinding chamber with no loss of grind settings



Tag holder to place the name of the coffee on the hopper



Memory Track System to index grind settings on the collar



Stepless micrometric grinding adjustment

electronic version

19-language electronic control panel. Programmable single, double and third dose buttons. Manual grinding. Steps of a hundredth of a second. Manual grinding mode. Daily grinding statistics. Pause function in between grinding. Alerts on service needs.



Keep grounds from getting on the counter (ELECTROSTATIC CHARGE REDUCTION) while getting UNIFORM COFFEE GROUNDS in your portafilter with the Grind Flow Control (GFC) System. GFC consists of a removable aluminum outlet insert equipped with a through-flow wire damper.



On-Demand grinding can be activated with the portafilter



Adjustable portafilter holder



Double fan cooling system and Split chassis




Wi-Fi connectivity module for IoT Internet of Things features

OPTION

A: Doser configuration: Oversized dose (8-10.5 g – 0.28-0.36 oz)
Spring tamper with extended portafilter support. Easy tamper for doser

COLORS



pure white matte black matte gray silver polished alu. bright red



Kony S - sliding panel



Kony S - GFC

Kony /s



conical burrs

THE SMALLEST MAZZER GRINDER WITH CONICAL BURRS


configurations: E - Au

CERTIFICATIONS



Kony S E

	mm	in
A	208	8 ¼
B	240	9 ½
C	264	10 ½
D	413	16 ¼
H	651	25 ½
E	208	8 ¼



Kony S Au

	mm	in
A	208	8 ¼
B	240	9 ½
C	264	10 ½
D	413	16 ¼
H	651	25 ½
E	208	8 ¼

	Kony S electronic	Kony S automatic
Power	450 watt	450 watt
Grinding Burrs	ref.. 191C 63 mm (2 1/2 inches)	single ph.191C 63 mm (2 1/2 inches) three ph.192C 63 mm (2 2/3 inches)
Grinding Burrs Speed	420 rpm @50Hz 500 rpm @60Hz	420 rpm @50Hz 500 rpm @60Hz
Hopper capacity	1.3 kg (2.9 lbs)	1.3 kg (2.9 lbs)
Net weight	20 kg (44 lbs)	20 kg (44 lbs)

Robur /S

HIGH-PERFORMANCE GRINDER

configurations: E - Au

The Mazzer Robur S is a conical burrs grinder much favored by bartenders having to deal with large daily volumes and workloads. Average grinding speed is 1s/5g @50Hz, 1s/6g @60Hz. Consistent dosing, uniform coffee grounds, low retention and advanced electronics' functionality. It is pre-set for connecting to cloud (IoT), thus opening the way towards a whole spectrum of possibilities.



Robur S electronic



Robur S automatic



conical burrs

FEATURES



Easy to clean grinding chamber with no loss of grind settings

NO WASTE

Low retention geometries



Memory Track System to index grind settings on the collar



Stepless micrometric grinding adjustment

electronic version

19-language electronic control panel. Programmable single, double and third dose buttons. Manual grinding. Steps of a hundredth of a second. Manual grinding mode. Daily grinding statistics. Pause function in between grinding. Alerts on service needs.

GFC - Grind Flow Control System

Get UNIFORM COFFEE GROUNDS in your portafilter while keeping grounds from getting on the counter (ELECTROSTATIC CHARGE REDUCTION). Removable aluminum outlet insert equipped with 3 interchangeable wire dampers. Choose the best damper for you according to coffee origin, roast profile, weather conditions or barista preferences (AntiClumping, AntiDust, Hybrid dampers).



On-Demand grinding can be activated with the portafilter



Adjustable portafilter holder



Double fan cooling system and Split chassis




Wi-Fi connectivity module for IoT Internet of Things features

OPTION

A: Doser configuration: Oversized dose (8-10.5 g – 0.28-0.36 oz)

Spring tamper with extended portafilter support. Easy tamper for doser

COLORS



pure white matte black matte gray silver polished alu. bright red

Robur /S




conical burrs

HIGH-PERFORMANCE GRINDER


configurations: E - Au

CERTIFICATIONS



Robur S E

	mm	inches
A	234	9 ¼
B	252	10
C	287	11 ½
D	464	18 ¼
H	720	28 ½
E	240	9 ½



Robur S Au

	mm	inches
A	234	9 ¼
B	252	10
C	287	11 ½
D	464	18 ¼
H	720	28 ½
E	240	9 ½

	Robur S electronic	Robur S automatic
Power	800 watt	800 watt
Grinding Burrs	ref. 186C 71 mm (2 3/4 inches)	single ph. 186C 71 mm (2 3/4 inches) - three ph. 187C 83 mm (3 1/4 inches)
Grinding Burrs Speed	420 rpm @50Hz 500 rpm @60Hz	420 rpm @50Hz 500 rpm @60Hz
Hopper capacity	1.6 kg (3.5 lbs)	1.6 kg (3.5 lbs)
Net weight	28 kg (62 lbs)	28 kg (62 lbs)



Electronic control panel Robur S - Kold S – Kony S - Major V

Kold /S

KEEP IT COOL

configurations: E - Au

Mazzer Kold S is built following a cool, sleek and forward-looking design. It conveys cutting-edge technology and premium quality. The Mazzer Kold S is, with Robur S, the fastest grinder in the product line (1s/5g @50Hz, 1s/6g @60Hz). Besides excellent performances in terms of consistency and retention, Kold S is designed to protect coffee against exposure to heat even should grinding times be extended, thanks to a specific mechanical construction with a belt-driven transmission, to low RPM and to a double cooling system.



Kold S e



Kold S a



conical burrs

FEATURES



Easy to clean grinding chamber with no loss of grind settings



High precision knob with lap counter to precisely know the grind setting

NO WASTE

Low retention geometries

Micrometric grind adjustment

electronic version

19-language electronic control panel. Programmable single, double and third dose buttons. Manual grinding. Steps of a hundredth of a second. Manual grinding mode. Daily grinding statistics. Pause function in between grinding. Alerts on service needs.



GFC - Grind Flow Control System Get UNIFORM COFFEE GROUNDS in your portafilter while keeping grounds from getting on the counter (ELECTROSTATIC CHARGE REDUCTION). Removable aluminum outlet insert equipped with 3 interchangeable wire dampers. Choose the best damper for you according to coffee origin, roast profile, weather conditions or barista preferences (AntiClumping, AntiDust, Hybrid dampers).



On-Demand grinding can be activated with the portafilter



Adjustable portafilter holder



Double fan cooling system and Split chassis



Wi-Fi connectivity module for IoT Internet of Things features

OPTION

A: Doser configuration: Oversized dose (8-10.5 g – 0.28-0.36 oz)
Spring tamper with extended portafilter support. Easy tamper for doser

COLORS



pure white matte black polished alu. silver


Kold /s

KEEP IT COOL

configurations: E - Au




conical burrs



Kold S E

	mm	inches
A	215	8 1/2
B	310	12 1/4
C	240	9 1/2
D	480	19
E	240	9 1/2
H	700	27 3/4



Kold S A

	mm	inches
A	215	8 1/2
B	310	12 1/4
C	240	9 1/2
D	480	19
E	240	9 1/2
H	700	27 3/4

CERTIFICATIONS



	Kold S electronic	Kold S automatic
Power	800 watt	800 watt
Grinding Burrs	ref. 186C 71 mm (2 3/4 inches)	single ph. 186C 71 mm (2 3/4 inches) - three ph. 187C 83 mm (3 1/4 inches)
Grinding Burrs Speed	420 rpm @50Hz 500 rpm @60Hz	420 rpm @50Hz 500 rpm @60Hz
Hopper capacity	1.5 kg (3.3 lbs)	1.5 kg (3.3 lbs)
Net weight	30 kg (66 lbs)	30 kg (66 lbs)

ZM

DESIGNED FOR SPECIALTY COFFEE

Mazzer digital ZM is the coffee grinder designed for specialty coffee. It is extremely flexible and can be used both for filter coffee and espresso just changing the burrs. ZM boasts a digital grind adjustment system allowing the barista to control the distance between the burrs in microns so that the grind setting is understandable, accurate and repeatable. On the digital display 20 preset grind settings can be recorded, with 4 pre-programmable buttons for quick recipe recall. The ZM has coffee retention of under 0.45 grams to allow for single dosing. These features create a grinder that fits perfectly in the workflow of a specialty cafe.



FEATURES



Digital grind adjustment to control the distance between the burrs in microns



Electronic true zero calibration



Easy to clean grinding chamber with no loss of grind settings

<0.45

Low coffee retention to allow for single dosing



On demand dosing capability



Double fan cooling system and low rpm



Lockable canister to keep coffee grounds from getting on the counter



Flipping display to allow easy access to the grinding chamber for cleaning and burr replacement

EQUIPMENT FEATURES

1 bag holder, 2 canisters

OPTION

Inox canister, 1.3 kg (2.9 lbs) hopper, burrs to grind filter coffee ref. 151G, ref. 151F, espresso ref. 151B.

COLORS




pure white matte black silver

ZM



DESIGNED FOR SPECIALTY COFFEE

CERTIFICATIONS



	mm	inches
A	245	9¾
B	430	17
Ø	160	6¼
H	645	25½

	ZM digital
Power	800 watt
Grinding Burrs	ref. 151F filter or 151B espresso 83 mm (3 1/4 inches)
Grinding Burrs Speed	900 rpm @50Hz 1050 rpm @60Hz
Hopper capacity	0.32 kg (0.7 lbs)
Net weight	35 kg (77 lbs)

espresso and filter

MAZZER®


ZM Plus

ESPRESSO & FILTER | SINGLE DOSING | DIGITAL CONTROL

The ZM Plus boasts all the features of the digital ZM grinder, plus a special unit that facilitates both the espresso and filter coffee grinding processes, thereby making it a powerful, flexible tool for speciality coffee. Its multifunctional features include universal portafilter holder for espresso, quick-connect canister for filter coffee and bag holder.



ZM Plus



FEATURES



Digital grind adjustment to control the distance between the burrs in microns



Easy to clean grinding chamber with no loss of grind settings



On demand dosing capability



Lockable canister to keep coffee grounds from getting on the counter



Electronic true zero calibration



Adjustable portafilter holder



Double fan cooling system and low rpm



Flipping display to allow easy access to the grinding chamber for cleaning and burr replacement

EQUIPMENT FEATURES

1 bag holder, 2 canisters, universal portafilter holder for espresso. 1 spout with lever for espresso. Standard fitted burrs upon request: K151F, K151G for filter - K151B for espresso - K151I hybrid for espresso and filter

OPTION

Inox canister, 1.3 kg (2.9 lbs) hopper

COLORS



pure white matte black silver



espresso and filter


MAZZER[®]

ZM Plus

ESPRESSO & FILTER | SINGLE DOSING | DIGITAL CONTROL



CERTIFICATIONS



	mm	inches
A	245	9 3/4
B	430	17
Ø	160	6 1/4
H	645	25 1/2

	ZM Plus
Power	800 watt
Grinding Burrs	ref. K151F and K151G for filter - K151B for espresso - K151I hybrid for espresso and filter, Ø 83 mm - 3 1/4 inches
Grinding Burrs Speed	900 rpm @50Hz 1050 rpm @60Hz
Hopper capacity	0.32 kg (0.7 lbs)
Net weight	35 kg (77 lbs)